

Lightweight and High Power







such as beneath sofas.









Capsule type

No need to use paper bag. This is a cost saving for repeated use.

Trigger switch

Easy to operate ON-OFF









Accepts disposable paper dust bag & cloth dust bag

Dust disposal can be clean and simple with dust bags.

Equipped with 3 Speed mode

2: High speed mode 3: Max speed mode

1: Normal speed mode



CL108FD Max Air Flow

1.2 m³/min

Max Sealed Suction

4.4 kPa

Continuous use*

20 / 24 / 50 min Max / High / Normal





Dust stopper



Max Air Flow

1.4 m³/min

Max Sealed Suction

5.0 kPa

Continuous use*

20 / 24 / 50 min Max / High / Normal

Lightweight 1.1 kg



Dust bag



Dust capacity with dust bag

500 mL
Paper filter

One touch switch

Powered by Li-ion Battery of Makita's 18V Platform





Max Air Flow

 $1.4 \, \mathrm{m}^{3/\mathrm{min}}$

Max Sealed Suction

4.2 kPa

Continuous use*

33 min



Max Air Flow

 $1.4 \, \mathrm{m}^3/\mathrm{min}$

Max Sealed Suction

5.3 kPa

Continuous use*

33 / 66 min High / Low



Max Air Flow

1.4 m³/min

Max Sealed Suction

5.4 kPa

Continuous use³

33 / 66 _{min} High / Low

*On a full battery charge with BL1850B

Accessories

Nozzle assembly



Color

White Blue

Part No. 198525-7 Part No. 198523-1 **Sheet Nozzle**



Part No. 199037-3

Part No. 199040-4

Flexible hose



Part No. 198867-9

Part No. 198541-9

Corner nozzle



Part No. 198918-8

Part No. 198989-5





Part No. 198877-6

Part No. 198549-3

Shelf brush



Part No. 198872-6

Part No. 198534-6

CL108FD, CL106FD only

Filter

10pcs /set

Part No.

198914-6



Part No. 198750-0



Easy shake off filter

Part No. 198752-6





CL107FD only

Dust bag (cloth)

Part No.



Paper filter set

5pcs/set

Part No.



Easy shake off filter

Part No.



Valve stay complete

Part No. 143677-9



Cordless Cleaner

Electronic 3-Speed

(CL108FD, CL107FD)





CL108FD / CL107FD / CL106FD

Capacity

Net weight

Continuous Use (min.) **Max Air Flow** Max Sealed Suction (water column) Suction Power Dimensions $(L \times W \times H)$

CL108FD 600 mL

> With BL1041B: Max/ High/ Normal: 20/ 24/ 50 1.3 m³/min 4.4 kPa (445 mmH₂O) Max/ High/ Normal: 32/ 20/ 5W 956x110x150 mm (37-5/8"x4-5/16"x5-7/8") 1.0 - 1.2 kg (2.3 - 2.7 lbs.)

CL107FD

Dust Bag: 500 mL Paper filter: 330 mL With BL1041B: Max/ High/ Normal: 20/ 24/ 50 1.4 m³/min 5.0kPa (510 mmH₂O) Max/ High/ Normal: 32/20/5W 960x112x150mm (37-3/4"x4-3/8"x5-7/8") 1.1 - 1.3 kg (2.5 - 2.9 lbs.)

CL106FD 600 mL

With BL1041B: 42 1.3 m³/min 3.1 kPa (316 mmH₂O) 19 W 958x100x150mm (37-3/4"x3-15/16"x5-7/8") 1.0 - 1.1 kg (2.2 - 2.5 lbs.)

Standard Equipment: CL106FD, CL108FD: Floor Nozzle, Sash Nozzle, Sash Nozzle Holder, Pipe, Filter, Prefilter, Battery, Charger CL107FD: Floor Nozzle, Sash Nozzle, Sash Nozzle Holder, Pipe, Dust Bag (cloth) CL, Paper filter set, Battery, Charger

weight according to EPTA-Procedure 01/ver.2.1



3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan